

North America: Danboro, PA • E-mail: info@pemnet.com • Tel: +1-215-766-8853

Europe: Galway, Ireland • E-mail: europe@pemnet.com • Tel: +353-91-751714

Asia/Pacific: Singapore • E-mail: singapore@pemnet.com • Tel: +65-6-745-0660

Shanghai, China • E-mail: china@pemnet.com • Tel: +86-21-5868-3688

Part # CLSS-032-1, Self-Clinching Nuts - Types S, SS, CLS, CLSS, SP - Unified

Type S, SS, CLS, and CLSS nuts provide load-bearing threads in thin sheets with high pushout and torqueout resistance.

Type SP, PEM 300® nuts provide strong load-bearing threads in stainless steel sheets as thin as .030".

Types S / SS are recommended for use in steel or aluminum sheets HRB (Rockwell "B" scale) 80 or less and HB (Hardness Brinell) 150 or less.

Type SP is recommended for use in stainless steel sheets HRB (Rockwell "B" scale) 90 or less and HB (Hardness Brinell) 185 or less.



Spe	Specifications			
	Thread Size	.190-32 (#10-32)		
	Thread Code	032		
	Shank Code	1		
	A (Shank) Max.	.038 in (Cinching profile may vary) Due to manufacturing procedum, parts may have a counterfore at affairs and		

Rec. Min. Sheet Thickness ⁽¹⁾	.040 in
Hole Size in Sheet + .003000	.250 in
C Max.	.249 in
E ± .010	.340 in
T ± .010	.090 in
Min. Dist. Hole C/L to Edge ⁽²⁾	.28 in
For Use in Sheet Hardness ⁽³⁾	HRB 70 / HB 125 or Less
Thread Specification	Internal, ASME B1.1, 2B
Fastener Material	300 Series Stainless Steel
Standard Finish	Passivated and/or tested per ASTM A380
CAD Supplier	PennEngineering® (PEM®)

¹ For maximum performance, we recommend that you use the maximum shank length for your sheet thickness.

 $^{^2}$ To minimize sheet distortion and maximize product performance, use a centerline-to-edge value greater or equal to the value specified.

³ HRB - Hardness Rockwell "B" Scale. HB - Hardness Brinell.