

AIM-38 Extensions and Accessories

Extension Modules

Barcode Scanner (20°)



Barcode Scanner (70°)



LAN + COM Module



UHF RFID Reader



Part Number	AIM-P511A0	AIM-EXT0-0041	AIM-EXT0-0046	AIM-EXT0-0047 (EU) AIM-EXT0-0049 (US)
Color	Black	Black	Black	Black
Dimensions	130.2 x 38.7 x 27.8 mm (5.12 x 1.52 x 1.09 in)	130.2 x 38.7 x 32 mm (5.12 x 1.52 x 1.25 in)	130.2 x 70 x 29 mm (5.12 x 2.75 x 1.14 in)	130.2 x 63.6 x 65.9 mm (5.12 x 2.5 x 2.59 in)
Weight	0.042 kg (0.092 lb)	0.042 kg (0.092 lb)	0.078 kg (0.171 lb)	0.08 kg (0.176 lb)
Feature	<ul style="list-style-type: none"> ▪ Sensor: 640 x 480 CMOS sensor ▪ Illumination & Aiming: White LED illumination/Red LED dot aimer ▪ Frame rate: 30 fps ▪ Field of view: Horizontal: 37.8°; Vertical: 28.8° 	<ul style="list-style-type: none"> ▪ Sensor: 640 x 480 CMOS sensor ▪ Illumination & Aiming: White LED illumination/Red LED dot aimer ▪ Frame rate: 30 fps ▪ Field of view: Horizontal: 37.8°; Vertical: 28.8° 	<ul style="list-style-type: none"> ▪ 1 x 10/100 Ethernet port ▪ 1 x COM port 	<ul style="list-style-type: none"> ▪ RFID output power: 25 watt ▪ RFID antenna type: Linear polarization ▪ Frequency: EU: 867 ~ 869MHz; US: 913 ~ 917 MHz ▪ Tag standard supported: EPC Class 2 Gen. 2/ ISO 18000-6C

Accessories

Hand Strap



Shoulder Strap



Active Stylus



Battery with Meter



Part Number	AIM-SRP0-0000	AIM-SRP0-0001	AIM-P704	AIM-BATO-0452
Color	Black	Black	Black	Black
Dimensions	240 x 20 mm (9.44 x 0.78 in)	380 x 135 x 20 mm (14.96 x 5.31 x 0.78 in)	140 x 9.7 mm (5.51 x 0.38 in)	120 x 87 x 7.5 mm (4.72 x 3.43 x 0.30 in)
Weight	0.022 kg (0.048 lb)	0.05 kg (0.11 lb)	0.02 kg (0.044 lb)	0.147 kg (0.324 lb)
Feature	<ul style="list-style-type: none"> ▪ Synthetic leather w/ Elastic band ▪ Easily removed screw for rapid installation ▪ Extra protection against drop 	<ul style="list-style-type: none"> ▪ Provide an easy way to carry on AIM-38 for retail industry ▪ Easily removed screw for rapid installation ▪ Extra protection against drop 	<ul style="list-style-type: none"> ▪ Windows hardware certification approved ▪ Palm detection ▪ Pressure Detection 	<ul style="list-style-type: none"> ▪ Suitable for retail industry to check the usage of each battery ▪ Easy to do battery swap, no need to wait for charging