

ACCESSORIES

Novasom Industries > Accessories

(Accessories)



Our accessory list is continuously **growing** with new display , touch **adapter video card** and new warranted mPCIe card.
Do not hesitate to contact us and ask.

AVAILABLE ACCESSORIES

DIPLAYS

NPC-5RGB-PCAP-UX-CG: Display RGB 5" 800×480, pcap touch with coverglass, connection cables/adapter and mounting frame to Novasom board. **For Novasom U excluding board.**

NPC-5RGB-RES-UX-OF: Display RGB 5" 800×480, RES touch with openframe, connection cables/adapter and mounting frame to Novasom board. **For Novasom U excluding board.**

NPC-7RGB-PCAP-UX-CG: Display RGB 7" 800×480, pcap touch with coverglass, connection cables/adapter and mounting frame to Novasom board. **For Novasom U excluding board.**

NPC-7RGB-RES-UX-OF: Display RGB 7" 800×480, RES touch with openframe, connection cables/adapter and mounting frame to Novasom board. **For Novasom U excluding board.**

NPC-7LVDS-PCAP-PX-CG: Display LVDS 7" 1024×600, pcap touch with coverglass, connection cables/adapter and mounting frame to Novasom board. **For Novasom P excluding board.**

NPC-7LVDS-PCAP-PX-OF: Display LVDS 7" 1024×600, pcap touch with openframe, connection cables/adapter and mounting frame to Novasom board. **For Novasom P excluding board.**

NPC-10.1LVDS-PCAP-PX-CG: Display LVDS 10.1" 1280×800, pcap touch with coverglass, connection cables/adapter and mounting frame to Novasom board. **For Novasom P excluding board.**

DIS-LCD-5-RGB-CAP-CG-CCT-00: Display **RGB 5" 800×480, pcap touch with coverglass.**

DIS-LCD-5-RGB-RES-OP-CCT-00: Display **RGB 5" 800×480, RES touch.**

DIS-LCD-7-RGB-CAP-GC-CCT-00: Display **RGB 7" 800×480, pcap touch with coverglass.**

DIS-LCD-7-RGB-RES-OP-CCT-00: Display **RGB 7" 800×480, RES touch.**

DIS-LCD-7-LVDS-CAP-OF-CCT-00: Display LVDS 7" 1024×600, pcap touch.

DIS-LCD-10.1-LVDS-CAP-CG-CCT-00: Display LVDS 10.1" 1280×800, pcap touch with coverglass.

ADAPTERS

N.ADA-1A-040517-00: For FFC/wire Video + PCAP – FPC/wire 6 pin step 0,5. Used for **7" LVDS** display in combination with cable N.CAB-P-LVDS20_24-150617-00 (**for P-line**) or NI240613-FS61-01 (**for S-line**).

N.ADA-1A-050517-00: For PCAP I2C – FPC/wire 6 pin step 0,5. Used in combination with cable NI150316-FS14-01 (**for P-line**) or standard FPC 6 pin step 0,5mm (**for U-line**).

N.ADA-1B-050517-00: For Touch RES – FPC/wire 4 pin step 1 with electronics onboard converting the signal to I2C. Used in combination with cable NI150316-FS14-01 (**for P-line**) or standard FPC 6 pin step 0,5mm (**for U-line**).

N.ADA-1C-050517-00: For PCAP USB – FPC/wire 4 pin step 1. Used in combination with cable NI150316-FS14-01 (**for P-line**).

CABLES

CAB.FFC6-05-03: Cable FFC 6 POS 0.5 MM 3" for the adapters N.ADA-1X-050517-00 **to P-line board**.

NI240613-FS61-01: video & touch 7" PCAP cable **for S line SBC**.

N.CAB-P-LVDS20_24-150617-00: video & touch 7" PCAP cable **for P line SBC**.

WIFI CARDS

MPCIE-WIFI-1A: mPCIe module for WI-FI with one UFL onnector for remote antenna, 150Mbps.

ANTENNA-WIFI-A: antenna with cable.

MPCIE-WIFI-1C: mPCIe module for WI-FI with two UFL onnectors for remote antennas, 300Mbps.

ANTENNA-WIFI-C: antenna with cable.



Novasom Industries s.r.l.

NOVASOM INDUSTRIES • USA
Federal ID Number 811523802

NOVASOM INDUSTRIES • EUROPE
Vat N. RO36203804
R.C. N. J40/8303/14.06.2016

[Privacy](#) • [Cookies](#) •

[Terms and Conditions](#)

Contact us

[Contacts](#)

[Distributors](#)

[Support](#)

Who we are

[The Company](#)

[Our Mission](#)

[Our Vision](#)

[Our Team](#)

What we do

[Why choose NOVASom?](#)

[ARM Single Board Computer](#)

[Intel Single Board Computer](#)

[Certifications](#)

[News](#)



Our site uses cookies for a better experience. If you go on browsing, we assume you are happy.

YES, go on!

Cookie Law

