



B

PANDUIT* PART #	BUNDLE DIA.		A IN (mm)	B IN (mm)	C IN (mm)	D IN (mm)	E IN (mm)	F IN (mm)	MIN. LOOP TENSILE lbs. (N)	CROSS SECTION	TIP STYLE	WEIGHT lbs./100 pcs. (g)
	MIN. IN (mm)	MAX. IN (mm)										
PLT1M-M39	.06 (1.5)	.87 (22)	.043 (1.1)	.098 (2.5)	.169 (4.3)	.154 (3.9)	.180 (4.6)	3.9 (99)	18 (80)	MINIATURE	CURVED	.07 (32)

NOTES: SEE [www.panduit.com](http://www.panduit.com) FOR ANY THIRD PARTY CERTIFICATION OR COMPLIANCE.

DIMENSIONS IN PARENTHESES ARE IN METRIC UNITS

TITLE		CUSTOMER DRAWING	
PAN-TY CABLE TIE - PLT SERIES		PANDUIT	
ITEM REVISION NAME		MATERIAL:	
00162NBS/00		NATURAL HEAT STABILIZED NYLON 6.6	
DATASET FILE NAME		DRAWING NUMBER:	
00162NBS-DC/00 - 00162NBS-DC-REV00		00162NBS_DC	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN (mm)		SIZE	
.X ± .02 ( .5 )		SHT 1 OF 1	
.XX ± .01 ( .25 )		A	
.XXX ± .020 ( .51 )			
ANGLES: - - -			
THIRD ANGLE PROJECTION			
DRAWN BY	DATE	CHK	SCALE
BWG	9/26/18	MPH	NONE
ECN	DESCRIPTION	MPH	SCALE
	DRAWING RELEASED.		
00	9/26/18	MPH	JADE
REV	DATE	BY	CHK
		APR	

A