

4-Port Portable USB 3.0 SuperSpeed Mini Hub, Aluminum

MODEL NUMBER: U360-004-AL











Connects to the USB 3.0 port on your laptop, Ultrabook or computer to give you four external USB 3.0 ports.

Description

The U360-004-AL 4-Port Portable USB 3.0 SuperSpeed Mini Hub's built-in USB cable connects to your laptop, Ultrabook or computer to expand the number of available USB 3.0 ports. Just plug and play with no drivers or external power supply needed. The bus-powered hub distributes 900mA to its four ports. When using a separate cable between the hub's USB Micro-B port and your device to draw additional power, the hub can provide up to 1.5A for fast charging of mobile devices.

This portable hub supports USB 3.0 data transfer rates up to 5 Gbps—ten times faster than USB 2.0—and is backward compatible with USB 2.0 and USB 1.1 devices. All four ports support USB Battery Charging (BC) specification v1.2. The compact aluminum case fits easily into your pocket, backpack, briefcase or laptop bag to power USB-enabled devices wherever you are.

Features

Increases Your Computer's USB 3.0 Ports from 1 to 4

- Expands your laptop, Ultrabook or computer's USB 3.0 port to 4 external USB 3.0 ports
- All 4 ports share 900mA when bus-powered
- Can provide up to 1.5A when USB Micro-B port is connected to a second computer USB port

Excellent Speed and Versatile Performance

- Supports USB 3.0 data transfer rates up to 5 Gbps—10 times faster than USB 2.0
- Backward compatible with USB 2.0 and USB 1.1
- Supports USB Battery Charging (BC) specification v1.2

Take the Hub Anywhere

- Compact case made from lightweight aluminum
- Fits easily into your pocket, backpack, briefcase or laptop bag
- Built-in cable is perfect for travel

Highlights

- USB ports can provide up to 1.5A for charging mobile devices
- Supports USB 3.0 data transfer rates up to 5 Gbps
- Plug and play—no drivers or external power supply needed
- Fits easily into pocket, backpack, briefcase or laptop bag
- Backward compatible with USB 2.0 and USB 1.1

System Requirements

 Device with USB port (USB 3.0 port needed to achieve USB 3.0 speeds)

Package Includes

• U360-004-AL 4-Port Portable USB 3.0 SuperSpeed Mini Hub



Specifications

-		
OVERVIEW		
UPC Code	037332190512	
Product Type	Hub	
Technology	USB 3.x	
Host Connector	USB A (MALE)	
VIDEO		
Number of Monitors Supported	0	
DATA		
Data Ports	(4) USB A (FEMALE)	
Data Ports Details	(4) USB-A - USB 3.2 Gen 1 (5 Gbps)	
INPUT		
Bus Powered	Yes	
Product Length (in.)	14.4	
Product Length (cm.)	36.57	
Product Length (ft.)	1.2	
Product Length (m.)	0.36	
POWER		
Power Source Type	USB	
Power Consumption (Watts)	0.7	
CHARGING		
Charging Ports Details	USB ports can provide up to 1.5A for charging mobile devices	
Charging Ports	USB-A: 5V 1.5A (7.5W)	
Charging Ports / Amps	(4) 1.5A	
PHYSICAL		
Color	Silver	
Material of Construction	Aluminum	
Cable Jacket Material	TPE	
Included Mounting Accessories	No	
Shipping Dimensions (hwd / in.)	1.20 x 4.90 x 3.90	



Shipping Dimensions (hwd / cm)	3.05 x 12.45 x 9.91	
Shipping Weight (lbs.)	0.22	
Shipping Weight (kg)	0.10	
Unit Dimensions (hwd / in.)	0.000 x 0.000 x 0.000	
Unit Packaging Type	Вох	
Unit Weight (lbs.)	0.16	
Unit Weight (kg)	0.07	
ENVIRONMENTAL		
Operating Temperature Range	-4 to 158 F (-20 to 70 C)	
Storage Temperature Range	14 to 167 F (-10 to 75 C)	
Relative Humidity	0% to 85% RH, Non-Condensing	
BTUs	2.4 BTU/Hr	
Power Provided to Connected Device(s)	5V 1.5A (7.5W) Output per USB Port	
CONNECTIONS		
Number of Ports	4	
Side A - Connector 1	USB 3.0 A (MALE)	
Side B - Connector 1	(4) USB 3.0 A (FEMALE)	
Side B - Connector 2	MICRO-USB B (FEMALE)	
Connector Plating	Nickel	
FEATURES & SPECIFICATIONS		
USB Hub Ports	Yes	
USB Specification	USB 3.0 (up to 5 Gbps); USB 3.1 Gen 1 (up to 5 Gbps)	
Driver Required	No	
STANDARDS & COMPLIANCE		
Product Compliance	RoHS; CE (Europe); REACH; FCC (USA)	
WARRANTY & SUPPORT		
Product Warranty Period (Worldwide)	3-year limited warranty	







© 2022 Eaton. All Rights Reserved. Eaton is a registered trademark. All other trademarks are the property of their respective owners.