




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
A		RELEASED	08JAN2018	TS	GG
B		ECO-18-013511	19JULY2018	AH	DZ





1. ALL MATERIALS, COMPONENTS AND PROCESS SHALL COMPLY WITH TEC-138-702. CONTAINS NO BANNED OR RESTRICTED SUBSTANCES.
2. NO REACH SVHC SHALL BE CONTAINED ABOVE THE THRESHOLD AS DEFINED IN REACH SVHC COMPLIANCE DEFINITION IN ANNEX A OF TEC-138-702.
3. SEE SHEET 2 FOR OVERMOLDED PCB REQUIREMENTS.



2317823-1  
 PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: T. SMITH 08JAN2018	TE Connectivity
DIMENSIONS: min		CHK: G. GUTGOLD 08JAN2018	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		APVD: G. GUTGOLD 08JAN2018	NAME: PLUG KIT, 74 POSN, SLIVER
MATERIAL: -		PRODUCT SPEC: -	APPLICATION SPEC: -
FINISH: -		WEIGHT: -	RESTRICTED TO: -
CUSTOMER DRAWING		SIZE: A1	SCALE: 8:1
		DRAWING NO: 2317823	SHEET 1 OF 2
			REV B

REVISIONS				
P	LTR	DESCRIPTION	DATE	APP'D
-		SEE SHEET 1	-	-



RECOMMENDED OVERMOLD MATERIAL  
 THERMOPLASTIC POLYAMIDE OR  
 EQUIVALENT. DUROMETER 82 SHORE A  
 MINIMUM.



OVERMOLDED PCB REQUIREMENTS

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: T. SMITH 09JAN2018	
DIMENSIONS: min		CHK: G. GUTGOLD 09JAN2018	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: S. GUTGOLD 09JAN2018	NAME: PLUG KIT, 74 POSN, SLIVER
0 PLC	±	PRODUCT SPEC	
1 PLC	±	APPLICATION SPEC	
3 PLC	±		
4 PLC	±		
MATERIAL:		WEIGHT:	RESTRICTED TO:
FINISH:		SCALE: 6:1	SHEET 2 OF 2
		CUSTOMER DRAWING	REV B

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2317823-1](#)