


		REVISIONS			
REV	ECO	DESCRIPTION	DATE	BY	APPR
A1		RELEASED	16MAR2020	J. HEAD	DH



NOTES: UNLESS OTHERWISE SPECIFIED

1. PLUG MATERIAL:


SHELL: ZINC ALLOY, NICKEL PLATED COUPLING RING: ALUMINUM ALLOY, NICKEL PLATED INSERT AND RETAINING RING: THERMOPLASTIC SEAL: SILICONE RUBBER


2. BACKSHELL MATERIAL:

SHELL: ALUMINIUM ALLOY, NICKEL PLATED; LATCH SEGMENT: ALUMINIUM ALLOY, NICKEL PLATED; SCREW AND LOCK WASHER: STAINLESS STEEL; BUSHING: EPDM.

## 3. SPECIFICATIONS:

- 3.1 OPERATING TEMPERATURE: -55°C TO +125°C.
- 3.2 DIELECTRIC WITHSTANDING VOLTAGE: LESS THAN 2 MILLIAMPS CURRENT LEAKAGE @ 1500 VOLTS AC.
- 3.3 INSULATION RESISTANCE: 1000 MEGOHM MIN @ 25°C.
- 3.4 MOISTURE RESISTANCE: IP67 & IP69K (MATED CONDITION).
- 3.5 MATING CYCLE DURABILITY: 100 CYCLES
- 3.6 RoHS COMPLIANT
- 4. APPLY BACKSHELL TO CABLE OD SIZE: Ø11.20-Ø19.30 . CAN BE USED WITH OR WITHOUT BUSHING.
- 5. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.
- 6. SEE SPECIFIC PLUG DRAWING FOR:
  - 6.1 CONTACT SIZE AND WIRE RANGE.
  - 6.2 RETAINING RING COLOR.
  - 6.3 MATING PART(S).
  - 6.4 CONTACT LAYOUT AND ALL OTHER SPECIFICATIONS.





	AHDM06-	18-20SR-059	HD36-18-20SE-05	9			
	PART N	IUMBER		DE	SCRIPTION		ITEM
QUANTITY	MATER			ALS LI	ST		
1) All dimensions a		SIGNATURI	ES DATE		mnhc	nol	
2) Tolerances are a 1 PL DEC ±0.30		DRAWN: J. HEAD	16MAR2020		mphe		
2 PL DEC ±0.15 3 PL DEC ±0.08	2 PL DEC ±0.15 Angles ±1°			Sine Systems - www.amphenol-sine.com 44724 Morley Drive Clinton Township, MI 48036			
MATERIAL SPECIFICA	MATERIAL SPECIFICATIONS:				TE AHDM PLUG, SI	- /	HD,
PROCESS SPECIFICATIONS:		THIS DRAWING IS SUPPL INFORMATION ONLY. DES SPECIFICATIONS AND PE SHOWN HEREON ARE TH THE AMPHENOL CORPOR OF REPRODUCTION ARE DIMPENSIONS ARE SUBJECT	SIGN FEATURES, RFORMANCE DAT. E PROPERTY OF RATION. NO RIGHT IMPLIED. ALL	B C-	V/ CABLE CLAMP E DWG NO: AHDM06-18-2		REVISION
NEXT ASS'Y:		MANUFACTURING VARIA		SCALE: NONE		SHEET 1 OF	1

KIT,PLUG AND BACKSHELL,SZ 18

REV: A1 SH:

## **ATM Series™** - Contact Size 20 Options

Machined Contacts, Sockets & Pins						
Part Number	Description	Size	AWG	Туре		
AT60-010-2031	Male Contact - Pin, Gold-plated	20	16-18	Machined		
AT62-005-20141	Female Contact - Socket, Gold-plated	20	16-18	Machined		
AT60-010-20141	Male Contact - Pin, Nickel-plated	20	16-18	Machined		
AT62-005-2031	Female Contact - Socket, Nickel-plated	20	16-18	Machined		
AT60-202-2031	Male Contact - Pin, Gold-plated	20	20-22	Machined		
AT62-201-2031	Female Contact - Socket, Gold-plated	20	20-22	Machined		
AT60-202-20141	Male Contact - Pin, Nickel-plated	20	20-22	Machined		
AT62-201-20141	Female Contact - Socket, Nickel-plated	20	20-22	Machined		

Tooling - Machined Contacts				
Part	Part Number	Description		
	CA-5D12	Universal Hand Crimp Tool, Size 12/16/20 (Machined contacts only)		
3	CA-5E12	Pneumatic Crimp Tool, Size 12/16/20 (Machined contacts only)		

Contact Removal Tools				
Part	Part Number	Description		
from hites	ATRT-100	Used for removal of contacts for A Series™ products		
	AT11-240-2005	Contact Removal Tool, Plastic, Size 20		
	AT13-204-2005	Sealing Plug, Size 20, White		

Stamped & Formed Contacts, Sockets & Pins						
Part Number	Description	Size	AWG	Туре		
AT60-20-0144	Male Contact - Pin, Gold-plated	20	16-22	Stamped & Formed		
AT62-20-0144	Female Contact - Socket, Gold-plated	20	16-22	Stamped & Formed		
AT60-20-0244	Male Contact - Socket, Gold-plated	20	16-22	Stamped & Formed		
AT62-20-0244	Female Contact - Socket, Gold-plated	20	16-22	Stamped & Formed		
AT60-20-0122	Male Contact - Pin, Nickel-plated	20	16-22	Stamped & Formed		
AT62-20-0122	Female Contact - Socket, Nickel-plated	20	16-22	Stamped & Formed		
AT60-20-0222	Male Contact - Socket, Nickel-plated	20	16-22	Stamped & Formed		
AT62-20-0222	Female Contact - Socket, Nickel-plated	20	16-22	Stamped & Formed		
AT60-20-0277	Male Contact - Socket, Tin-plated	20	16-22	Stamped & Formed		
AT62-20-0277	Female Contact - Socket, Tin-plated	20	16-22	Stamped & Formed		
AT60-20-0422	Male Contact - Socket, Nickel-plated	20	20-22	Stamped & Formed		
AT62-20-0444	Female Contact - Socket, Gold-plated	20	20-22	Stamped & Formed		

Tooling - Stamped & Formed Contacts					
Part	Part Number	Description			
	MFX-3974	Crimp Die - Size 20 (\$&F contacts only)			
	MFX-3976	Crimp Die - Size 20 (S&F contacts only) 20-22AWG -04XX Series			
	MFX-3978	Crimp Die - Size 20 (S&F contacts only) 20-22AWG -02XX Series			
	ATT-20-00	Hand Crimp Tool - Size 20, 20AWG (S&F contacts only)			

Amphenol Sine Systems 44724 Morley Drive Clinton Township, MI 48036 USA www.amphenol-sine.com 09/2021

## **AT Series™** - Contact Size 16 Options

Machined Contacts, Sockets & Pins					
Part Number	Description	Size	AWG	Туре	
AT60-215-1631	Male Contact - Pin, Gold-plated	16	14	Machined	
AT62-209-1631	Female Contact - Socket, Gold-plated	16	14	Machined	
AT60-215-16141	Male Contact - Pin, Nickel-plated	16	14	Machined	
AT62-209-16141	Female Contact - Socket, Nickel-plated	16	14	Machined	
AT60-202-1631	Male Contact - Pin, Gold-plated	16	16-20	Machined	
AT62-201-1631	Female Contact - Socket, Gold-plated	16	16-20	Machined	
AT60-202-16141	Male Contact - Pin, Nickel-plated	16	16-20	Machined	
AT62-201-16141	Female Contact - Socket, Nickel-plated	16	16-20	Machined	
AT60-202-1631-22	Male Contact - Pin, Gold-plated	16	22-24	Machined	
AT62-201-1631-22	Female Contact - Socket, Gold-plated	16	22-24	Machined	
AT60-202-16141-22	Male Contact - Pin, Nickel-plated	16	22-24	Machined	
AT62-201-16141-22	Female Contact - Socket, Nickel-plated	16	22-24	Machined	

Tooling - Machined Contacts				
Part	Part Number	Description		
	CA-5D12	Universal Hand Crimp Tool, Size 12/16/20 (Machined contacts only)		
3	CA-5E12	Pneumatic Crimp Tool, Size 12/16/20 (Machined contacts only)		

Contact Removal Tools					
Part	Part Number	Description			
3	ATRT-100	Used for removal of contacts for A Series™ products			
	AT11-310-1605	Contact Removal Tool, Plastic, Size 16			
	A114017	Sealing Plug, Size 16, White			

Stamped & Formed Contacts, Sockets & Pins						
Part Number	Description	Size	AWG	Type		
AT60-14-0144	Male Contact - Pin, Gold-plated	16	14-16	Stamped & Formed		
AT62-14-0144	Female Contact - Socket, Gold-plated	16	14-16	Stamped & Formed		
AT60-14-0122	Male Contact - Pin, Nickel-plated	16	14-16	Stamped & Formed		
AT62-14-0122	Female Contact - Socket, Nickel-plated	16	14-16	Stamped & Formed		
AT60-16-0144	Male Contact - Pin, Gold-plated	16	16-18	Stamped & Formed		
AT62-16-0144	Female Contact - Socket, Gold-plated	16	16-18	Stamped & Formed		
AT60-16-0122	Male Contact - Pin, Nickel-plated	16	16-18	Stamped & Formed		
AT62-16-0122	Female Contact - Socket, Nickel-plated	16	16-18	Stamped & Formed		
AT60-16-0644	Male Contact - Pin, Gold-plated	16	18-20	Stamped & Formed		
AT62-16-0644	Female Contact - Socket, Gold-plated	16	18-20	Stamped & Formed		
AT60-16-0622	Male Contact - Pin, Nickel-plated	16	18-20	Stamped & Formed		
AT62-16-0622	Female Contact - Socket, Nickel-plated	16	18-20	Stamped & Formed		
AT60-16-0844	Male Contact - Pin, Gold-plated	16	20-22	Stamped & Formed		
AT62-16-0844	Female Contact - Socket, Gold-plated	16	20-22	Stamped & Formed		
AT60-16-0822	Male Contact - Pin, Nickel-plated	16	20-22	Stamped & Formed		
AT62-16-0822	Female Contact - Socket, Nickel-plated	16	20-22	Stamped & Formed		

Tooling - Stamped & Formed Contacts						
Part	Part Number Description					
	MFX-3950	Crimp Die - Size 16, 18-20AWG (S&F contacts only)				
	MFX-3953	Crimp Die - Size 16, 16-18AWG (S&F contacts only)				
	MFX-3975	Crimp Die - Size 16, 14-16AWG (S&F contacts only)				
	MFX-3990	Crimp Die - Size 16, 20-22AWG (S&F contacts only)				
	ATT-16-00	Hand Crimp Tool - Size 16, 14-16AWG (S&F contacts only)				
	ATT-16-01	Hand Crimp Tool - Size 16, 18-20AWG (S&F contacts only)				
	ATT-1612-03	Hand Crimp Tool - Size 16, 20-22AWG (S&F contacts only)				

Amphenol Sine Systems 44724 Morley Drive Clinton Township, MI 48036 USA www.amphenol-sine.com 09/2021

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol:

AHDM06-18-20SR-059