

USB-C to RS232 (DB9) Serial Adapter Cable (M/M), 5 ft.

MODEL NUMBER: **U209-005-C**



Connect a device with a 9-pin RS-232 serial port to the USB Type-C port on your computer, laptop, tablet or smartphone. Perfect for connecting modems, digital cameras, PDAs and ISDN terminals.

Description

The U209-005-C USB-C to DB9 Serial Adapter Cable (M/M) allows you to connect a 9-pin RS-232 serial peripheral to a device with a USB-C port. Perfect for connecting a modem, digital camera, PDA or ISDN terminal to your computer, laptop, tablet or smartphone, this cable supports data transfer speeds up to 230 Kbps, which is twice as fast as a built-in serial port. No external power source is required. The compact five-foot cable tucks away conveniently in your backpack or laptop bag for use anywhere.

Premium foil and braid shielding delivers reliable, error-free signal quality and protection from EMI/RFI interference. Molded nickel-plated connectors with gold-plated contacts ensure excellent conductivity. Integral strain relief ensures the cable and connectors last a long time. A rugged PVC jacket protects twisted 28 AWG data lines and 24 AWG power lines. Works with Windows, Mac and Linux computers, as well as Android tablets and smartphones compatible with USB Host Mode (OTG).

USB Type-C™ and USB-C™ are trademarks of USB Implementers Forum

Features

Connects a DB9 Device to a USB-C Device

- Ideal for connecting a modem, digital camera, PDA or ISDN terminal to your computer, laptop, tablet or smartphone
- Supports data transfer speeds up to 230 Kbps—twice as fast as a built-in serial port
- No external power source required

Highlights

- Supports data transfer speeds up to 230 Kbps
- Premium foil and braid shielding reduces EMI/RFI interference
- Compatible with Windows®, Mac®, Linux® and Android™ devices
- No external power source required
- Portable 5 ft. design fits perfectly into laptop bag

System Requirements

- Windows 2000 and later (including Windows 10), Mac OS X 10.6 through 10.12 or Linux Redhat 7.3 through 9.0 (Linux Kernel 2.4.31 and above include built-in drivers)
- Android devices with USB Host Mode (OTG) support and OS 3.2 and later. USB Host Mode (OTG) cable required.

Package Includes

- U209-005-C USB-C to DB9 Serial Adapter Cable (M/M), 5 ft.
- Owner's manual



- Portable 5 ft. design fits perfectly into laptop bag

First-Rate Construction for Superior Signal Transfer

- Premium foil and braid shielding for EMI/RFI noise protection
- Molded nickel-plated connectors with gold-plated contacts for optimal signal quality
- Integral strain relief for long life
- Twisted 28/24 AWG data/power lines
- Flexible PVC jacket easy to install in tight spaces

Broad Compatibility

- Compatible with Windows, Mac, Linux and Android devices (see System Requirements for details)

Specifications

OVERVIEW	
UPC Code	037332197573
INPUT	
Cable Length (ft.)	5
Cable Length (m)	1.52
PHYSICAL	
Color	Black
Shipping Dimensions (hwd / cm)	3.10 x 11.18 x 11.68
Shipping Dimensions (hwd / in.)	1.22 x 4.40 x 4.60
Shipping Weight (kg)	0.09
Shipping Weight (lbs.)	0.20
CONNECTIONS	
Side A - Connector 1	USB C (MALE)
Side B - Connector 1	DB9 (MALE)
FEATURES & SPECIFICATIONS	
Technology	Serial (RS232); USB
WARRANTY	
Product Warranty Period (Worldwide)	3-year limited warranty



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

© 2020 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:
<https://www.tripplite.com/products/product-certification-agencies>