

**EMG 22-H 52MM GN**

Order No.: 2946175

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2946175>

Covering hood, for the contact and dust-protected encapsulation of the components, in green design. Height: 52 mm, width: 22.5 mm

| Commercial data          |                    |
|--------------------------|--------------------|
| GTIN (EAN)               | 4017918082130      |
| Note                     | Made-to-order      |
| sales group              | F008               |
| Pack                     | 10 pcs.            |
| Customs tariff           | 85369010           |
| Weight/Piece             | 0.01255 KG         |
| Catalog page information | Page 544 (CC-2009) |

## Product notes

WEEE/RoHS-compliant since:  
08/06/2004



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

| Technical data   |                                     |
|------------------|-------------------------------------|
| <b>General</b>   |                                     |
| Housing type     | Upper part                          |
| Housing material | Polycarbonate fiber reinforced PC-F |
| Color            | green                               |

**Dimensions / positions**

|                     |         |
|---------------------|---------|
| Length              | 38 mm   |
| Width               | 22.5 mm |
| Number of positions | 8       |

**Technical data**

|                                    |                   |
|------------------------------------|-------------------|
| Ambient temperature (operation)    | -40 °C ... 125 °C |
| Inflammability class acc. to UL 94 | V0                |

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;