

Identification

TECHNICAL DATA SHEET

T300-RIBBON-WH Thermal Transfer Ribbon

MATERIAL DESCRIPTION:	White resin-based polyester-backed thermal transfer ribbon. Printed legends have high resistance to abrasion, solvents and chemicals and maintain superior print quality when used with Tyco recommended product/printer combinations.		
APPLICABLE PRINTERS:	T312M-PRINTER		
APPLICABLE PRODUCTS:	Tyco HS/HC and TMS-SCE heat shrinkable sleeve product range. (black sleeves and, subject to customer's own evaluation, brown, red, orange, green, blue, violet and grey)		
SHELF LIFE:	1 year when stored between $-5^{\circ}C$ (23°F) and 40°C (104°F).		
COLOR:	White.		
WIDTH:	110mm (4.3")		
LENGTH:	300m (984')		
WINDING DIRECTION:	Ink side out		
ORDERING INFORMATION:	T300-RIBBON-WH (formerly, 1330-3102-10)		
PRINT PERFROMANCE:	See individual product technical data sheets (Note heat shrink products must be in the recovered state to achieve the specified print permanence results).		
www.tycoident.com		Document number: TDS-077 Issue: 2	Date: 27-Jan-2004 Pages: 1
Business locations:		 N America: + 1 401 432 8200 (East Coast) France: + 33 (0) 476 099696 UK: + 44 (0) 1793 528171 (Other products) Singapore: + 65 (0) 4866 151 	

All the above information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their application. Tyco Electronics makes no warranties as to the accuracy or completeness of the information and disclaims any liability regarding its use. Tyco Electronics only obligations are those in the Standard Terms and Conditions of Sale for this product and in no case will Tyco Electronics be liable for any incidental, indirect or consequential damages arising from the sale, resale, use or misuse of the product. Tyco Electronics Specifications are subject to change without notice. In addition Tyco Electronics reserves the right to make changes in materials or processing, without notification to the Buyer, which do not affect compliance with any applicable specification.