



'VSG1804B7333 afety Signs

afety Sign, 18.00" H x4.00" W, 'FIRE EXTINGUISHER' (legend), .umi-Glow™ Flex Vinyl, Red on Glow.



# Specifications

| Note                | Sold in US and Canada only  |
|---------------------|---|
| Application         | Accident prevention signs indicate the potential type or degree of hazard in order to avoid accidental injury or property damage. This is achieved by conveying clear, quickly understood messages in accordance with OSHA 29 CFR 1910.145 and ANSI Z535. |
| CE<br>Compliant     | No  |
| Color               | Red/Glow  |
| Dimensions<br>(In.) | 18" x 4"  |
| Environment         | 3 years   |

| Height (In.) | 18.00                 |  |  |  |  |
|--------------|-----------------------|--|--|--|--|
| Height (mm)  | 457.2                 |  |  |  |  |
| Legend       | FIRE EXTINGUISHER     |  |  |  |  |
| Material     | Lumi-Glow™ Flex Vinyl |  |  |  |  |

| Operating<br>Temperature     | -30° to 175°F   |
|------------------------------|---|
| Part Features                | Square corners and scored backing for quick peel-off and application, Flexible, 10-mil photoluminescent vinyl, Permanent acrylic, adhesive-coated backing, Resistant to abrasions, moisture, UV light, and various chemicals. |
| Thickness<br>(In.)           | 0.01  |
| Thickness<br>(mm)            | 0.254   |
| UL Listed                    | Νο  |
| Width (In.)                  | 4.00  |
| Width (mm)                   | 101.6   |
| RoHS<br>Compliancy<br>Status | Compliant   |
| Min. Order<br>Qty.           | 1.0000  |

# Packaging Details

| UPC                   |  | 61305608508 |  |
|-----------------------|--|-------------|--|
| Std. Pkg. Qty.        |  | 1           |  |
| Std. Pkg. Volume (cf) |  | 0.0004      |  |
|                       |  |             |  |
| Std. Ctn. Qty.        |  | 0           |  |

| Std. Ctn. Volume (cf) |  |
|-----------------------|--|
|-----------------------|--|

0.0000

### Resources

| Catalogs | Industrial<br>Safety<br>Solutions | US<br>English | PDF 26.80MB (/content/dam/panduit/en/products/assets/p/pv/pvs/pvsg/pvsg1804b7333/media/D- |
|----------|-----------------------------------|---------------|---|
|          |                                   |               | SFCB01WW-ENG-SAFTEYCATALOG.pdf)   |
|          |                                   |               | (/content/dam/panduit/en/products/assets/p/pv/pvs/pvsg/pvsg1804b7333/media/D-SFCB01WW-    |
|          |                                   |               | ENG-SAFTEYCATALOG.pdf)  |
|          |                                   |               |   |

### **Related Products**



## PPS0305D73

Polyester adhesive sign, 3.5" H x 5.0" W, danger header, 'High voltage keep out' (legend), polyester adhesive, red and black/white, 2 sign/card, 5 cards/package.

(/en/products/signs-labels-identification/signs-accessories/pre-printed-write-on-safety-signs/pps0305d73.html)



#### PPS0710C141

Polyester adhesive sign, 7.0" H x 10.0" W, caution header, 'Area in front of this electrical panel must be kept clear for 36 inches osha - nec regulations' (legend), polyester adhesive, black/yellow, 1 sign/card, 1 card/package.

(/en/products/signs-labels-identification/signs-accessories/pre-printed-write-on-safety-signs/pps0710c141.html)



#### PPS0710D24

Polyester adhesive sign, 7.0" H x 10.0" W, danger header, 'Automatic start equipment' (legend), polyester adhesive, red and black/white, 1 sign/card, 1 card/package.

(/en/products/signs-labels-identification/signs-accessories/pre-printed-write-on-safety-signs/pps0710d24.html)



(/en/support/contact-us.html)



800-777-3300

Monday through Friday 7:00 am-6:30 pm CST

(tel:800-777-3300)



Partner

(/en/support/where-to-buy/find-adistributor.html)

GET OUR CATALOG

Download the PDF or request a copy be mailed to you.