

5x20mm (4) Chip Light Bars

INDEX

PRODUCT TREE



WHIP!

Image next to part no. indicates cad file.



Indicates an [Opto Express](#) part.

- [Product Table](#)
- [Applications](#)
- [Features](#)
- [Options](#)
- [Order Samples](#)
- [Stock/Price Request](#)
- [Sales and Tech Support](#)
- [Drawings](#)








1. [Product Gallery](#)
2. [LED Displays and Chips on Board Light Bars](#)
3. [Light Bars - LEDs/Chips on Board](#)
4. [5x20mm \(4\) Chip Light Bars](#)

Lumex drawings are in PDF format. If you don't have Adobe Acrobat, click on this icon to

[download a free copy](#)



| Lumex Part Nbr. | Emitted Color | Peak (nm) | Epoxy Lens Color | Brightness Typical (mCD) | If (mA) | View Angle | Vf@20mA Typical | Vf@20mA Max. |
|----------------------------|---------------|-----------|------------------|--------------------------|---------|------------|-----------------|--------------|
| SSB-LX2350ID WHIP! | Red | 635 | Red Dfsd | 50 | 20 | 160 | 2.1 | 2.8 |
| SSB-LX2350IW WHIP! | Red | 635 | White Dfsd | 50 | 20 | 160 | 2.1 | 2.8 |
| SSB-LX2450AD WHIP! | Amber | 610 | Amber Dfsd | 40 | 20 | 160 | 2.1 | 2.8 |
| SSB-LX2450AW WHIP! | Amber | 610 | White Dfsd | 40 | 20 | 160 | 2.1 | 2.8 |
| SSB-LX2450YD WHIP! | Yellow | 585 | Yellow Dfsd | 40 | 20 | 160 | 2.1 | 2.8 |
| SSB-LX2450YW WHIP! | Yellow | 585 | White Dfsd | 40 | 20 | 160 | 2.1 | 2.8 |
| SSB-LX2550SGD WHIP! | Green | 565 | Green Dfsd | 50 | 20 | 160 | 2.1 | 2.8 |

| | | | | | | | | |
|--|--|-----|---|----|----|-----|-----|-----|
|  SSB-LX2550SGW WHIP! | Green  | 565 | White  Dfsd | 50 | 20 | 50 | 2.1 | 2.8 |
| SSB-LXB100SRD WHIP! | Red  | 660 | Red  Dfsd | 80 | 20 | 160 | 1.8 | 2.1 |
| SSB-LXB100SRW WHIP! | Red  | 660 | White  Dfsd | 80 | 20 | 160 | 1.8 | 2.1 |

Applications

[\[top of page\]](#)

- Back Lighting
- Graphics Illumination
- Ladder Indicators
- Logo Illumination

Features

[\[top of page\]](#)

- Chips On Board Style
- Reflective Case
- Four Colors
- HP Light Bar Compatible
- Low Cross-Talk Case

Options

[\[top of page\]](#)

- Bi-Color Circuits
- Fixed Voltage Chips
- Graphic Overlays

[Home](#) | [What's New](#) | [Product Gallery](#) | [Product Search](#) | [X-Ref Search Engine](#) | [Tech Notes](#) | [Sales and Tech Support](#) | [Corporate Info](#)

290 East Helen Road Palatine, IL 60067 Telephone: (847) 359-2790 Facsimile: (847) 359-8904 E-mail us at sales@lumex.com

© 1997-2001 Lumex, Inc.