

WW Series

Tapered Caps & Plugs with Wide, Thick Flanges



WW Series tapered caps & plugs are designed with a wide, thick flange to insure against being erroneously forced "all the way through" when used as a plug. This versatile part may easily be used as a cap or plug depending upon the application.

- Accepted by the aircraft industry
- Easy to install and remove
- Slightly thinner wall and smaller diameter flanges than WWX series

Material: Low-density polyethylene

Standard Color: Yellow

Applicable Specs: NAS 816

| Item # | Dim A (IN) | Dim B (IN) | Dim C (IN) | Dim D (IN) | Dim E (IN) | Dim F (IN) | Dim G (IN) | | |
|------------|------------|------------|------------|------------|------------|------------|------------|-------------------------------------|--------------------------------|
| WW-00 | 0.116 | 0.182 | 0.053 | 0.120 | 0.37 | 0.50 | 0.090 | + Available Options | Request Sample |
| WW-0 | 0.173 | 0.240 | 0.111 | 0.177 | 0.37 | 0.56 | 0.090 | + Available Options | Request Sample |
| WW-0X | 0.230 | 0.275 | 0.149 | 0.190 | 0.31 | 0.56 | 0.060 | + Available Options | Request Sample |
| WW-1 | 0.236 | 0.296 | 0.174 | 0.225 | 0.31 | 0.62 | 0.090 | + Available Options | Request Sample |
| WW-2 | 0.300 | 0.368 | 0.237 | 0.288 | 0.31 | 0.68 | 0.090 | + Available Options | Request Sample |
| WW-2X | 0.333 | 0.392 | 0.269 | 0.319 | 0.31 | 0.72 | 0.090 | + Available Options | Request Sample |
| WW-3 | 0.367 | 0.418 | 0.298 | 0.354 | 0.31 | 0.75 | 0.090 | + Available Options | Request Sample |
| WW-3X | 0.397 | 0.447 | 0.328 | 0.383 | 0.31 | 0.78 | 0.090 | + Available Options | Request Sample |
| WW-4 | 0.427 | .475 | 0.356 | 0.409 | 0.31 | 0.81 | 0.090 | + Available Options | Request Sample |
| WW-WF-9 | 0.435 | 0.509 | 0.365 | 0.450 | 0.47 | 0.83 | --- | + Available Options | Request Sample |
| WW-WF-9-2 | 0.460 | 0.500 | 0.396 | 0.444 | 0.38 | 0.75 | --- | + Available Options | Request Sample |
| WW-5 | 0.481 | 0.547 | 0.409 | 0.493 | 0.37 | 0.87 | 0.090 | + Available Options | Request Sample |
| WW-5X | 0.500 | 0.563 | 0.440 | 0.500 | 0.37 | 0.89 | 0.090 | + Available Options | Request Sample |
| WW-6 | 0.530 | 0.615 | 0.468 | 0.547 | 0.37 | 0.94 | 0.090 | + Available Options | Request Sample |
| WW-WF-11-2 | 0.560 | 0.631 | 0.497 | 0.579 | 0.47 | 0.97 | --- | + Available Options | Request Sample |
| WW-7 | 0.590 | 0.667 | 0.518 | 0.586 | 0.44 | .99 | 0.090 | + Available Options | Request Sample |
| WW-7X | 0.610 | 0.687 | 0.548 | 0.635 | 0.44 | 1.03 | 0.090 | + Available Options | Request Sample |
| WW-8 | 0.628 | 0.725 | 0.558 | 0.662 | 0.44 | 1.06 | 0.090 | + Available Options | Request Sample |
| WW-8X | 0.658 | 0.750 | 0.588 | 0.687 | 0.44 | 1.09 | 0.090 | + Available Options | Request Sample |

| Item # | Dim A (IN) | Dim B (IN) | Dim C (IN) | Dim D (IN) | Dim E (IN) | Dim F (IN) | Dim G (IN) | | |
|------------|------------|------------|------------|------------|------------|------------|------------|-------------------------------------|--------------------------------|
| WW-9 | 0.690 | 0.775 | 0.620 | 0.721 | 0.47 | 1.12 | 0.090 | + Available Options | Request Sample |
| WW-9X | 0.725 | 0.812 | 0.663 | 0.761 | 0.50 | 1.16 | 0.090 | + Available Options | Request Sample |
| WW-10 | 0.755 | 0.865 | 0.693 | 0.792 | 0.50 | 1.18 | 0.090 | + Available Options | Request Sample |
| WW-11 | 0.820 | 0.930 | 0.755 | 0.865 | 0.53 | 1.25 | 0.090 | + Available Options | Request Sample |
| WW-11X | 0.825 | 0.929 | 0.763 | 0.878 | 0.56 | 1.25 | 0.090 | + Available Options | Request Sample |
| WW-WF-21 | 0.866 | 0.976 | 0.804 | 0.925 | 0.65 | 1.81 | --- | + Available Options | Request Sample |
| WW-12 | 0.867 | 0.975 | 0.805 | 0.913 | 0.56 | 1.28 | 0.090 | + Available Options | Request Sample |
| WW-12X | 0.915 | 1.035 | 0.840 | 0.960 | 0.63 | 1.34 | 0.090 | + Available Options | Request Sample |
| WW-13 | 0.984 | 1.105 | 0.919 | 1.040 | 0.66 | 1.44 | 0.090 | + Available Options | Request Sample |
| WW-13B | 1.094 | 1.215 | 1.031 | 1.132 | 0.69 | 1.56 | 0.090 | + Available Options | Request Sample |
| WW-14 | 1.110 | 1.233 | 1.043 | 1.157 | 0.66 | 1.56 | 0.090 | + Available Options | Request Sample |
| WW-14X | 1.150 | 1.284 | 1.108 | 1.205 | 0.66 | 1.56 | 0.090 | + Available Options | Request Sample |
| WW-WF-24-2 | 1.150 | 1.284 | 1.080 | 1.220 | 0.75 | 1.56 | --- | + Available Options | Request Sample |
| WW-WF-25 | 1.180 | 1.314 | 1.115 | 1.260 | 0.75 | 1.56 | --- | + Available Options | Request Sample |
| WW-WF-26 | 1.236 | 1.382 | 1.166 | 1.324 | 0.75 | 1.69 | --- | + Available Options | Request Sample |
| WW-15 | 1.237 | 1.382 | 1.167 | 1.288 | 0.66 | 1.68 | 0.090 | + Available Options | Request Sample |
| WW-16 | 1.312 | 1.465 | 1.249 | 1.364 | 0.81 | 1.84 | 0.120 | + Available Options | Request Sample |
| WW-WF-27-2 | 1.312 | 1.466 | 1.249 | 1.427 | 0.78 | 1.84 | --- | + Available Options | Request Sample |
| WW-WF-27 | 1.312 | 1.465 | 1.248 | 1.417 | 0.93 | 1.84 | --- | + Available Options | Request Sample |
| WW-16X | 1.416 | 1.516 | 1.354 | 1.462 | 0.69 | 1.75 | 0.120 | + Available Options | Request Sample |
| WW-17 | 1.452 | 1.603 | 1.377 | 1.503 | 0.63 | 1.94 | 0.120 | + Available Options | Request Sample |
| WW-WF-28 | 1.452 | 1.604 | 1.378 | 1.552 | 0.75 | 1.94 | --- | + Available Options | Request Sample |
| WW-18 | 1.580 | 1.714 | 1.515 | 1.649 | 0.63 | 2.06 | 0.120 | + Available Options | Request Sample |
| WW-19 | 1.730 | 1.887 | 1.650 | 1.780 | 0.63 | 2.31 | 0.120 | + Available Options | Request Sample |
| WW-WF-30 | 1.730 | 1.888 | 1.650 | 1.828 | 0.75 | 2.31 | --- | + Available Options | Request Sample |
| WW-WF-31 | 1.810 | 1.975 | 1.731 | 1.916 | 0.75 | 2.38 | --- | + Available Options | Request Sample |
| WW-210 | 1.850 | 2.020 | 1.788 | 1.917 | 1.00 | 2.44 | 0.120 | + Available Options | Request Sample |
| WW-WF-32 | 1.850 | 2.020 | 1.788 | 1.973 | 1.12 | 2.44 | --- | + Available Options | Request Sample |
| WW-WF-1064 | 1.900 | 1.990 | 1.780 | 1.870 | 0.57 | 2.34 | --- | + Available Options | Request Sample |
| WW-21 | 1.927 | 2.048 | 1.857 | 1.927 | 0.63 | 2.34 | 0.120 | + Available Options | Request Sample |

| Item # | Dim A (IN) | Dim B (IN) | Dim C (IN) | Dim D (IN) | Dim E (IN) | Dim F (IN) | Dim G (IN) | | |
|------------|------------|------------|------------|------------|------------|------------|------------|-------------------------------------|--------------------------------|
| WW-WF-34 | 2.067 | 2.243 | 2.005 | 2.197 | 1.12 | 2.69 | --- | + Available Options | Request Sample |
| WW-WF-34-2 | 2.072 | 2.263 | 2.010 | 2.218 | 1.12 | 2.69 | --- | + Available Options | Request Sample |
| WW-221 | 2.079 | 2.228 | 2.015 | 2.132 | 0.99 | 2.63 | 0.120 | + Available Options | Request Sample |
| WW-25A | 2.125 | 2.406 | 2.063 | 2.344 | 1.00 | 2.69 | 0.120 | + Available Options | Request Sample |
| WW-WF-35 | 2.136 | 2.312 | 2.074 | 2.265 | 1.12 | 2.75 | --- | + Available Options | Request Sample |
| WW-240 | 2.298 | 2.464 | 2.235 | 2.370 | 1.00 | 2.88 | 0.120 | + Available Options | Request Sample |
| WW-WF-36 | 2.298 | 2.464 | 2.235 | 2.416 | 1.12 | 2.88 | --- | + Available Options | Request Sample |
| WW-33A | 2.305 | 2.620 | 2.245 | 2.560 | 1.25 | 3.06 | 0.120 | + Available Options | Request Sample |
| WW-WF-38 | 2.305 | 2.620 | 2.245 | 2.583 | 1.00 | 3.06 | --- | + Available Options | Request Sample |
| WW-250 | 2.395 | 2.602 | 2.333 | 2.500 | 1.13 | 3.00 | 0.120 | + Available Options | Request Sample |
| WW-WF-37 | 2.395 | 2.602 | 2.333 | 2.556 | 1.25 | 3.00 | --- | + Available Options | Request Sample |
| WW-43A | 2.475 | 2.725 | 2.405 | 2.650 | 0.91 | 3.16 | 0.120 | + Available Options | Request Sample |
| WW-WF-39 | 2.475 | 2.725 | 2.405 | 2.677 | 1.37 | 3.16 | --- | + Available Options | Request Sample |
| WW-44 | 2.638 | 2.759 | 2.568 | 2.661 | 0.69 | 3.22 | 0.120 | + Available Options | Request Sample |
| WW-WF-40 | 2.638 | 2.759 | 2.568 | 2.704 | 0.81 | 3.21 | --- | + Available Options | Request Sample |
| WW-WF-41 | 2.685 | 2.955 | 2.623 | 2.917 | 1.12 | 3.44 | --- | + Available Options | Request Sample |
| WW-55A | 2.990 | 3.250 | 2.920 | 3.150 | 1.00 | 3.75 | 0.120 | + Available Options | Request Sample |
| WW-WF-43 | 2.990 | 3.250 | 2.920 | 3.202 | 1.12 | 3.75 | --- | + Available Options | Request Sample |
| WW-53 | 2.990 | 3.150 | 2.925 | 3.080 | 0.75 | 3.59 | 0.120 | + Available Options | Request Sample |
| WW-57A | 3.090 | 3.370 | 3.020 | 3.322 | 1.00 | 3.81 | 0.120 | + Available Options | Request Sample |
| WW-96A | 3.225 | 3.562 | 3.155 | 3.517 | 1.12 | 4.00 | 0.120 | + Available Options | Request Sample |
| WW-WF-45 | 3.324 | 3.458 | 3.244 | 3.398 | 0.87 | 3.88 | --- | + Available Options | Request Sample |
| WW-WF-45-2 | 3.347 | 3.486 | 3.265 | 3.418 | 0.87 | 3.91 | --- | + Available Options | Request Sample |
| WW-502 | 3.790 | 3.922 | 3.710 | 3.840 | 0.75 | 4.34 | 0.120 | + Available Options | Request Sample |
| WW-1064 | 4.011 | 4.135 | 3.937 | 4.061 | 0.75 | 4.62 | 0.120 | + Available Options | Request Sample |
| WW-1076 | 4.640 | 4.815 | 4.570 | 4.685 | 0.88 | 5.17 | 0.120 | + Available Options | Request Sample |
| WW-1107 | 6.611 | 6.683 | 6.530 | 6.630 | 1.43 | 7.12 | 0.120 | + Available Options | Request Sample |



Materials [Polyethylene](#) [Vinyl](#) [Silicone](#) [Molded Rubber](#) [PETG](#) [Additional Materials](#) [Material Specification](#)

Applications [Masking](#) [Medical](#) [Evergreen Labware](#) [Thread & Flange Protection](#) [Tri-Star Thread Protectors](#) [Automotive](#) [Electronics](#) [Hydraulics](#) [Compressed Gas](#)

[Packaging & Netting](#) [Aviation](#)

Custom Parts [Design A Part](#) [Molding Capabilities](#)

Service & Support [Find a Sales Representative](#) [Learning Center](#) [Download Catalog](#) [Request a Quote](#) [Contact Us](#) [Quality](#) [Patents](#) [Press Room](#) [Awards](#) [Join Our Team](#)